

SPECIFICATION SHEET



ECO DRYFT 350



MOTOR

3.0 KW Peak

2.0 KW Nominal

> 92% Efficiency

BATTERY (AIS 156)

3.5 KWH

Advanced

TOP SPEED**

80 KMPH

GRADEABILITY

15 Degrees

CHARGER (AIS 156)

84V 8A CC-CV Portable

CHARGING TIME**

4-6 Hours

LOAD CAPACITY

150 KGS

RIDE MODES**

Drive Mode™ - 52 KMPH

Cross Over Mode™ - 68 KMPH

Thrill Mode™ - 80 KMPH

**Under standard testing conditions

**Under standard driving conditions

SPECIFICATION SHEET



TYRE & BRAKING

Tyre:	F: 80/100 - 18 Tubeless R: 80/100 - 17 Tubeless
Wheels Type:	Alloy
Brake:	F: 220 MM Disc R: 130 MM Drum
Tyre Pressure (Rider):	F: 33 PSI R: 35 PSI

CONTROLLER & THROTTLE

Controller:	5th Gen Controller
BMS (AIS 156):	Smart Active BMS 80A
Reverse Mode :	Yes
Throttle :	Twist Throttle
Starting:	Remote Start & Key Operation
Regenerative Braking:	Yes

SPECIFICATION SHEET



DISPLAY & ELECTRICALS

Display:	17.78 CM LED
Speedometer:	Digital
Odometer:	Digital
Central Locking:	Yes
Passenger Footrest:	Yes
Headlight:	LED
Tail Light:	LED

BODY & SUSPENSION

Suspension:	F: Telescopic Dual Suspension R: Coiled Spring Dual Suspension
Min. Ground Clearance (Other than M1*):	200 MM
Wheelbase:	1235 MM
Kerb Weight:	110 KG
GVW:	251 KG
Overall Length:	1870 MM
Overall Width:	760 MM
Overall Height:	1115 MM
Centre Stand:	Yes

**M1 in accordance with IS 9435,(mm)



Colour Variants



Blue



RED



GREY



Black



www.pureenergy.co.in

All the trademarks are owned by PUR ENERGY LTD.

The company has the rights to change any specifications, designs or features of the products at any point of time without any prior intimation and without any liability.

For more details of our products please visit the company website.